

	Type	Hits	Search Text
53	BRS	16	biopotential and display with current
54	BRS	59	biopotential and skin with current
55	BRS	113	biopotential and current with (resist\$ imped\$ impedance resistance)
56	BRS	21	biopotential same current with (resist\$ imped\$ impedance resistance)
57	IS&R	166	(600/536,506).CCLS.
58	BRS	95	((600/536,506).CCLS.) and current with (resist\$ imped\$ impedance resistance)
59	IS&R	3688	((600/547,372,382,384,548,407,34,536,506) or (709/19) or (324/691,692)).CCLS.
60	BRS	121	((((600/547,372,382,384,548,407,34,536,506) or (709/19) or (324/691,692)).CCLS.) and @pd>=20040719

	DBs	Time Stamp	Comments	Error Definition
53	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:26		
54	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:37		
55	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:38		
56	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:44		
57	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:44		
58	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:05		
59	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:06		
60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:07		